AWARD/CONTRACT  1. This Contr							Rating DOA5	Page 1 Of	<b>f</b> 12	
			ective Da	DPAS (15 CFR 700) ve Date		4. Requisition/Purchase Reque		Project No.		
DAAE20-99-D-0080			1	1999JUL30 SEE SCHEDULE						
5. Issue	ed By		Code	W52H09	6. Administered By (If Other Than Item 5) Code S4404A				S4404A	
TACOM-ROCK ISLAND				DCMC SAN ANTONIO				0110111		
AMSTA-LC-CFA-A				615 EAST HOUSTON STREET						
		9) 782-7149 61200 7630			P O BOX 1040					
ROCK ISLAND IL 61299-7630					SAN ANTONIO TX 78294-1040					
		MMERTM@RIA.ARMY.MIL				SCD			<b>РРТ</b> HQ0338	
7. Nam	e And Addre	ss Of Contractor (No. Street, C	ity, County,	State, An	d Zip Code	8. ]	Delivery			
FEDER	AL PRISON I	INDUSTRIES						<u> </u>	Below) SEE SC	HEDULE
ROUTE	4 BOX 500	00				9.	Discount	t For Prompt Payment		
	ET ROAD									
BEAUM	ONT TX 77	7705-0000								
TVDE	RUSINESS: (	Other Nonprofit						Invoices	Iten	n
		CHEI NOMPIOTIC					•	Unless Otherwise Specified)	,	12
Code			Facility Co	ode	10 D			dress Shown In:	G. I.	SC1024
	p To/Mark F CHEDULE	or	Code		•	ent Will Be N	•		Code	SC1024
SEE S	CUFDOTE					OLUMBUS CE O-JSB/GULF		DIV		
					PO BOX	182231				
					COLUME	US OH 432	218-2231	L		
12 1 .			~		44.					
_	thority For U 0 U.S.C. 2304	sing Other Than Full And Oper $G(c)$ $\Box$ 41 U.S.C	-	on: )	14. Accou	nting And A	ppropria	ition Data		
15A.	. Item No.	15B. Schedule Of Sup	olies/Services	s	15C. Qua	antity 1	15D. Uni	t 15E. Unit Price	15F. Amo	unt
	CHEDULE	CONTRACT TYPE:		-		OF CONTRA				
		Firm-Fixed-Price			St	apply Contr	racts a	nd Priced Orders		
Cor	tract Expi	ration Date: 2003JUL30				15G To	atal Amo	unt Of Contract		
				16. T:	able Of Co		7 11110	unt of contract	\$0.00	
(X)	Section	Description		Page(s)	(X)	Section		Description		Page(s)
. , ,		Part I - The Schedule				Part II - Co	ontract (			
Х	A	Solicitation/Contract Form		1	Х	I	Contra	act Clauses		11
Х	В	Supplies or Services and Price	es/Costs	3		Part III - L	List Of D	ocuments, Exhibits, And O	ther Attachmen	ts
Х	C	Description/Specs./Work State	ement	5	Х	J	List of Attachments 12			
Х	D	Packaging and Marking		6		Part IV - R		tations And Instructions		
Х	E	Inspection and Acceptance		8		K	Repres	sentations, Certifications, a	nd	
Х	F	Deliveries or Performance		9			1	Statements of Offerors		
	G	Contract Administration Data				L	1	, Conds., and Notices to Of	ferors	
X	Н	Special Contract Requiremen		10		M		ation Factors for Award		
	1~		racting Offic	cer Will C						
		s Negotiated Agreement (Con					actor is n	ot required to sign this doc		
-		document and return tractor agrees to furnish and de	_ copies to diver all iten	16		n Number _ ade by you	which ad	lditions or changes are set f	ing the additions	
_		ervices set forth or otherwise id			_			s listed above and on any co		
-		tion sheets for the consideratio			award consummates the contract which consists of the following documents: (a)					
		gations of the parties to this con		e	the Government's solicitation and your offer, and (b) this award/contract. No				. No	
•		ned by the following document			further co	ntractual do	cument	is necessary.		
award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached										
or incorporated by reference herein. (Attachments are listed										
herein.										
19A. Name And Title Of Signer (Type Or Print)					e Of Contra		ficer			
					7 R HARTLEE LEBENB@RIA.		IL (309) 782-7116			
19B. N	ame of Contr	actor	19c. Date S	Signed		ed States Of			20C. Date Sig	gned
_				-	_					
By					By		.4 4*	O PP )		
		erson authorized to sign)			(Sign 25-106	ature of Cor	ntracting	g Officer) Standard Form 26 (1	Doy 4-85)	
NSN 7540-01-152-8069				<b>49-100</b>			Stanual U FULIII 20 (.	ALV. 7-03/		

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

Page 2 of 12

Name of Offeror or Contractor: UNICOR

SECTION A - SUPPLEMENTAL INFORMATION Contract For: 3D Target Mannequin

1. This is a 5 year long term requirements contract awarding TACOM-ACALA's RFP letter dated 03 MAY 1999 # 17. Quantity and delivery schedule shall be as defined in each Delivery Order placed against this contract. Dollar amounts shall be as defined by each Delivery Order in accordance with the line item dollar amounts as proposed.

- 2. FPI/UNICOR Quote # BEA-01 dated 08 JUL 99 is hereby made a part of this document. Pricing for awards shall be made by utilizing said document (Attachment 01).
- 3. Each year's pricing range will commense on 01 AUG. The first year will be 01 Aug 1999-31 Jul 2000, etc.
- 4. A First Article Test (FAT) is required with the first production order. A FAT report is required within 60 days after receipt of first order.
- 5. Clause HS7505, 52.239-4500, Year 2000 (YK2) Compliance is hereby added to this contract.
- 6. The contractor's signature is not required on the award document as his proposal, BEA # 0001 dated 08JUL99, is incorporated as part of the contract.
- 7. All terms and conditions, as stated in the aformentioned RFP, shall be applicable to all future Delivery Orders of this contract.

\*\*\* END OF NARRATIVE A001 \*\*\*

# Reference No. of Document Being Continued PIIN/SIIN DAAE20-99-D-0080 MOD/AMD

**Page** 3 **of** 12

Name of Offeror or Contractor: UNICOR

ITEM NO	cor or Contractor: UNICOR SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	Supplies or Services and Prices/Costs				
0001AA	PRODUCTION QUANTITY		EA	\$** N/A **	
	NSN: 6920-01-164-9625 NOUN: 3D TARGET, MANNEQUIN FSCM: 1920 PART NR: 11829332 SECURITY CLASS: Unclassified				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance  DOC SUPPL  REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD  001  DEL REL CD QUANTITY DEL DATE  001 0				
	FOB POINT: Origin				
0001AB	DATA ITEM			\$** NSP **	\$** NSP *
	NOUN: 1ST ARTICLE TEST REPORT SECURITY CLASS: Unclassified				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination Government Approval/Disapproval Days: 60				
	Deliveries or Performance  DOC SUPPL  REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 3  DEL REL CD QUANTITY DEL DATE  001 0				
	FOB POINT: Destination				

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 12
CONTINUATION SHEET	PIIN/SIIN DAAE20-99-D-0080 MOD/AMD	
N. 0.000 C		•

Name of Offeror or Contractor: UNICOR

Pricing range of this clin is identified an Attachment 1. Delivery destinations will be identified on each Delivery Order.

\*\*\* END OF NARRATIVE B001 \*\*\*

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

Page 5 of 12

Name of Offeror or Contractor: UNICOR

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

Regulatory Cite \_\_\_\_\_\_ Title \_\_\_\_\_ Date

C-1 52.210-4501 TACOM-RI DRAWINGS/SPECIFICATION

MAR/1988

TACOM-KI

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with inclosed Technical Data Package Listing - TDPL 11829332-H with revisions in effect as of 07/18/97 (except as follows):

N/A

(CS6100)

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

Page 6 of 12

Name of Offeror or Contractor: UNICOR

SECTION D - PACKAGING AND MARKING

	Regulatory Cite		Title	 Date
0-1	52.211-4502	PACKAGING REQUIREMENTS		DEC/1998
	TACOM-RI			

Packaging shall be in accordance with Best Commercial Practices with the following REQUIREMENTS. The MARKING shall be in accordance with Standard Practice for Military Marking (MIL-STD-129).

#### REQUIREMENTS

- 1. Packaging Preservation, packaging, packing and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements:
- 1.1 Cleanliness Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservative applied to the item for protection are not considered contaminants.
- 1.2 Preservation Items susceptible to corrosion or deterioration shall be provided protection such as preservative coatings, volatile corrosion inhibitors, or desiccated unit packs.
- 1.3 Cushioning Items requiring protection from physical and mechanical damage or which are fragile shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- 2. Unit Package
- 2.1 Unit Package A unit package shall be so designed and constructed that it will contain the contents with no damage to them, and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling.
- 2.1 Unit Package Quantity Unless otherwise specified, the unit package quantity shall be one each part, set, or assembly.
- 3. Intermediate Package
- 3.1 The use of intermediate packaging is encouraged particularly when such use enhances handling and inventorying. Intermediate packaging is required to facilitate handling and inventory whenever the quantity is over 1 gross and the size of the unit package is 64 cubic inches or less.
- 4. Packing
- 4.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers.
- 4.2 Shipping containers The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. It shall be capable of multiple handling and storage under favorable conditions, such as enclosed facilities, for a minimum of one year.
- 5. Marking Marking shall be in accordance with MIL-STD-129, Standard Practice for Military Marking, revision N, dated 15 May 1997. Bar code requirements apply.

EXCEPTION:

NONE

(End of clause)

(DS6405)

D-2 52.247-4521 UNITIZATION/PALLETIZATION

JUL/1998

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

**Page** 7 **of** 12

Name of Offeror or Contractor: UNICOR

Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more, unless skids or other forklift handling features are included on the container. Pallet loads must be stable and to the greatest extent possible provide a level top for ease in stacking. A palletized load shall not exceed 52 inches in length or width, or 54 inches of height. When LEVEL A packing is required, a four-way entry pallet or pallet box shall be used to contain the load in a manner that will permit safe multiple rehandling during storage and shipment.

(End of clause)

(DS7204)

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

**Page** 8 **of** 12

Name of Offeror or Contractor: UNICOR

SECTION E - INSPECTION AND ACCEPTANCE

	Regulatory Cite	Title	Date
E-1	52.246-2	INSPECTION OF SUPPLIES - FIXED-PRICE	AUG/1996
E-2	52.209-4512 TACOM-RI	FIRST ARTICLE TEST (CONTRACTOR TESTING)	MAY/1994

- a. The first article shall consist of:

  A Written Report
  which shall be examined and tested in accordance with contract requirements, the item specification(s), Quality Assurance
  Provisions (QAPs) and all drawings listed in the Technical Data Package.
- b. The first article shall be representative of items to be manufactured using the same processes and procedures and at the same facility as contract production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as will be used during regular production. All components, subassemblies, and assemblies in the first article sample shall have been produced by the Contractor (including subcontractors) using the technical data package provided by the Government.
- c. The first article shall be inspected and tested by the contractor for all requirements of the drawing(s), the QAPs, and specification(s) referenced thereon, except for:
- (1) Inspections and tests contained in material specifications provided that the required inspection and tests have been performed previously and certificates of conformance are submitted with the First Article Test Report.
- (2) Inspections and tests for Military Standard (MS) components and parts provided that inspection and tests have been performed previously and certifications for the components and parts are submitted with the First Article Test Report.
- (3) Corrosion resistance tests over 10 days in length provided that a test specimen or sample representing the same process has successfully passed the same test within 30 days prior to processing the first article, and results of the tests are submitted with the First Article Test Report.
- (4) Life cycle tests over 10 days in length provided that the same or similar items manufactured using the same processes have successfully passed the same test within 1 year prior to processing the first article and results of the tests are submitted with the First Article Test Report.
- (5) Onetime qualification tests, which are defined as a onetime on the drawing(s), provided that the same or similar item manfactured using the same processes has successfully passed the tests, and results of the test are on file at the contractor's facility and certifications are submitted with the First Article Test Report.
- d. The Contractor shall provide to the Contracting Officer at least 15 calendar days advance notice of the scheduled date for final inspection and test of the first article. Those inspections which are of a destructive nature shall be performed upon additional sample parts selected from the same lot(s) or batch(es) from which the first article was selected.
- e. A First Article Test Report shall be compiled by the contractor documenting the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The First Article Test Report shall include actual inspection and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and QAP requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. The Government Quality Assurance Representative's (QAR) findings shall be documented on DD Form 1222, Request for and Results of Tests, and attached to the contractor's test report. Two copies of the First Article Test Report and the DD Form 1222 will be submitted through the Administrative Contracting Officer to the Contracting Officer with an additional information copy furnished to TACOM-RI, ATTN: Barry r. Hartleben, AMSTA-LC-CFA/A, Rock Island, IL 61299=7630.
- f. Notwithstanding the provisions for waiver of first article, an additional first article sample or portion thereof, may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of 90 days, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply. When conditions (i), (ii), or (iii) above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample or portion thereof, and instructions provided concerning the submission, inspection, and notification of results. Costs of the first article testing resulting from production process change, change in theplace of performance, or material substitution shall be borne by the Contractor.

# Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

**Page** 9 **of** 12

Name of Offeror or Contractor: UNICOR

SECTION F - DELIVERIES OR PERFORMANCE

	Regulatory Cite	Title	Date
F-1	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-2	52.247-29	F.O.B. ORIGIN	JUN/1988
F-3	52.247-59	F.O.B. ORIGIN - CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-4	52.247-61	F.O.B. ORIGIN - MINIMUM SIZE OF SHIPMENTS	APR/1984

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

Page 10 of 12

Name of Offeror or Contractor: UNICOR

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	Regulatory Cite	Title	Date
H-1	52.239-4500	YEAR 2000 (Y2K) COMPLIANCE	NOV/1998
	TACOM-RI		

- a. In the event that this contract calls for the delivery of any data processing hardware, software and/or firmware (to be referred to as information technology), such deliverables shall be required to perform accurate date/time processing involving dates subsequent to December 31, 1999. The information technology shall by Year 2000 compliant upon delivery.
- b. Definition. Year 2000 compliant means information technology that accurately processes date/time data (including, but not limited to, calculating, comparing, and sequencing) from, into and between the twentieth and twenty-first centuries, and the years 1999 and 2000 and leap year calculations. Furthermore, year 2000 compliant information technology, when used in combination with other information technology properly exchanges date/time data with it.

(End of clause)

(HS7506)

Reference No. of Document Being Continued Page 11 of 12 **CONTINUATION SHEET** PIIN/SIIN DAAE20-99-D-0080 MOD/AMD Name of Offeror or Contractor: UNICOR

SECTION I - CONTRACT CLAUSES

	Regulatory Cite	Title	Date
I-1	52.203-3	GRATUITIES	APR/1984
I-2	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	DEC/1991

DFARS

# Reference No. of Document Being Continued

PIIN/SIIN DAAE20-99-D-0080

MOD/AMD

Page 12 of 12

Name of Offeror or Contractor: UNICOR

SECTION J - LIST OF ATTACHMENTS

List of			Number	
Addenda	Title	Date	of Pages	Transmitted By
Attachment 001	CONTRACTOR'S PRICE RANGE AND DELIVERY SCHEDULE	08-JUL-99	002	EMAIL
Attachment 002	ECP H7I-9450 & CLARIFICATION DRAWINGS	26-JUL-99	007	MAIL
Attachment 003	TACOM -ACALA RFP# 17	03-MAY-99	003	ELECTRONIC
				TMAGE